

Comment on “Parity Doubling and $SU(2)_L \times SU(2)_R$ Restoration in the Hadronic Spectrum”

In a recent letter Jaffe, Pirjol and Scardicchio (JPS) use general arguments of chiral symmetry to discuss the possibility that chiral symmetry might be effectively restored in the hadronic spectrum [1] as has been suggested as a possible explanation of parity multiplets in the hadron spectrum [2, 3, 4, 5, 6]. While the calculations in ref. [1] are correct, the interpretation and discussion may create the false impression that effective chiral restoration ($E\chi R$) in the sense of refs. [2, 3, 4, 5, 6] is somehow unnatural. This is unfortunate; the arguments of JPS are irrelevant to the question of whether $E\chi R$ occurs.

The formal derivation by JPS of the allowable representations is both correct and quite elegant. However, in terms of the essential question of whether $E\chi R$ can explain parity doubling, the analysis boils down to the statement that in the broken phase chiral symmetry *alone* does not give rise to chiral multiplets of degenerate states. This is correct but has been well known for more than four decades. Reference [1] then notes that some dynamics beyond simple chiral invariance is required that would suppress those operators that split “would be” chiral partners. Again this is well known; indeed it constitutes the underlying idea of refs. [2, 3, 4, 5, 6]: namely that dynamical effects responsible for chiral symmetry breaking become less and less important in the high-lying hadrons; asymptotically the states approach a regime where their properties resemble those of an unbroken phase. In summary, the JPS analysis recapitulates well known results without further illuminating the central issue.

Moreover, the presentation of the problem in ref. [1] may create a false impression about the nature of the problem. JPS emphasize that in the Nambu-Goldstone phase, relations between masses and couplings characteristic of multiplets in the symmetry restored phase are possible only if the dynamics suppresses classes of chirally allowed operators which destroy them. While this is correct, it is potentially misleading. This emphasis creates the impression that i) if such relations do emerge from the dynamics they are essentially accidental and *unconnected* with the underlying chiral symmetry and ii) the emergence of such relations is unnatural since it requires the fine tuning of many operators. However, both i) and ii) are fundamentally incorrect.

In point of fact there *is* a simple and natural way connected to chiral symmetry for *all* of the operators which spoil the Wigner-Weyl-like relations to be suppressed dynamically. This occurs automatically provided that the states in question are lying high enough so that they are large insensitive to the dynamics responsible for spon-

taneous chiral symmetry breaking ($S\chi SB$) such as the chiral condensate. As has been discussed in detail elsewhere there are general arguments why this may occur naturally high in the spectrum [3, 5].

The conjecture of $E\chi R$ is precisely that high lying states *are* largely insensitive to the dynamics of $S\chi SB$, because they gradually decouple from the quark condensates of the vacuum, and hence it leads to approximate chiral multiplets. If this does happen, then numerous unconnected coefficients of the effective chiral Lagrangian which break chiral symmetry are suppressed *automatically* without additional fine tuning. Their suppression is profoundly connected to the underlying chiral symmetry.

The nonlinear σ model upon which JPS base their formalism obscures this simple fact. In a nonlinear σ model $S\chi SB$ is built in from the outset; the underlying dynamics is not explicit and these effects are encoded in the coefficients of various tree-level operators. If one starts from such a model and then imposes relations characteristic of the unbroken phase for some class of states, it appears that one is demanding that the coefficients multiplying many chirally allowed independent operators are simultaneously suppressed. This may seem to demand a very unlikely conspiracy among the coefficients. However, these coefficients are encoding the effects of the dynamics of $S\chi SB$. If the state in question is insensitive to the chiral symmetry breaking condensates, all the coefficients are automatically suppressed.

Reference [1] is also misleading in another way. The concluding sentence concerns explanations for parity multiplets “other than restoration of $SU(2)_L \times SU(2)_R$ which as we have shown cannot occur.” The reader may take this to mean that the JPS argument has somehow ruled $E\chi R$. This is emphatically not the case.

Thomas D. Cohen¹ and Leonid Ya. Glozman²

¹Department of Physics, University of Maryland, College Park, MD 20742, USA

²Institute for Physics, University of Graz, Universitätsplatz 5, A-8010 Graz, Austria

-
- [1] R. L. Jaffe, D. Pirjol, A. Scardicchio, Phys. Rev. Lett. **96** (2006) 121601.
 - [2] L. Ya. Glozman, Phys. Lett. B **475**, 329 (2000).
 - [3] T. D. Cohen and L. Ya. Glozman, Phys. Rev. D **65**, 016006 (2002); Int. J. Mod. Phys. A **17**, 1327 (2002).
 - [4] L. Ya. Glozman, Phys. Lett. B **539**, 257 (2002); *ibid.*, **541**, 115 (2002); *ibid.*, **587**, 69 (2004).
 - [5] L. Ya. Glozman, Int. J. Mod. Phys. A., in press (hep-ph/0411281); L. Ya. Glozman, A. V. Nefediev,

- J.E.F.T. Ribeiro, Phys. Rev. **D 72**, 094002 (2005).
- [6] T. D. Cohen and L. Ya. Glozman, hep-ph/0512185.